




A547



www.alfagru.com

CE

MODELLO



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento comercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

CURVE DI CARICO

LOAD DIAGRAMS • CURVAS DE CARGAS • LASTKURVEN • COURBES DE CHARGE

H MAX TORRE: 36 m

L FRECCIA 35 m	RAGGIO DI LAVORO [mm]	13 [m]	15,4 [m]	17,5 [m]	19 [m]	20 [m]	22,5 [m]	25 [m]	27,5 [m]	300 [m]	35 [m]
	PORTATA TIRO IN 2° [Kg]		2500	2200	2000	1850	1600	1450	1300	1200	1000
	PORTATA TIRO IN 4° [Kg]	4000	2500	2200	2000	1850	1600	1450	1300	1200	1000

L FRECCIA 30 m	RAGGIO DI LAVORO [mm]		13,5	16,1	17,5	19,5	20	22,5	25	27,5	30
	PORTATA TIRO IN 2° [Kg]			2500	2300	2000	1950	1650	1500	1350	1250
	PORTATA TIRO IN 4° [Kg]		4000	2500	2300	2000	1950	1650	1500	1350	1250

L FRECCIA 25 m	RAGGIO DI LAVORO [mm]				14	16,8	17,5	20	21	22,5	25
	PORTATA TIRO IN 2° [Kg]					2500	2400	2000	1900	1800	1600
	PORTATA TIRO IN 4° [Kg]				4000	2500	2400	2000	1900	1800	1600

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

MECCANISMI

MECHANISMS • MECANISMOS • ANTRIEBE • MÉCANISMES

MOVIMENTO MOVEMENT MECANISMO BEWUGUNG MOUVEMENT	ALIMENTAZIONE OPERATING VOLTAGE ALIMENTACIÓN BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI PERFORMANCES FUNCIONAMIENTOS LEISTUNGEN EXÉCUTIONS				
		1 ^a m/1' - kg	2 ^a m/1' - kg	3 ^a m/1' - kg		
SOLLEVAMENTO HOISTING ELEVACION HEBEN LEVAGE	400 V 50 Hz	5,5	30	48	kW 11	
		2500	2000	1000		
		1 ^a m/1'	2 ^a m/1'	3 ^a m/1'		
CARRELLO JIB TROLLEY CARRILLO LAUFKATZE DISTRIBUTION	400 V 50 Hz	10	20	40	kW 3	
ROTAZIONE SLEWING ROTACION DREHEN ORIENTATION	400 V 50 Hz	0,2 →0,7			kW 3	

Conforme alla Direttiva Rumore 2005/88/CE

In compliance with the 2005/88/CE directive - Conforme con la directiva 2005/88/CE

In Übereinstimmung mit der Richtlinie 2005/88/CE - Conforme à la directive 2005/88/CE

POTENZA RICHIESTA

REQUIRED ELECTRIC POWER - POTENCIA ELÉCTRICA NECESARIA - KRAFTBEDARF - PUISSANCE ÉLECTRIQUE NÉCESSAIRE

400 V 50 Hz	9,2 kW
	15 kVA* (12 kW)

* Gru senza traslazione

Crane without traveling equipment • Grúa sin traslación • Kran ohne Schienenfahren • Grue sans traslation

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel