




A559



www.alfagru.com

CE

MODELLO



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento comercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

CURVE DI CARICO

LOAD DIAGRAMS • CURVAS DE CARGAS • LASTKURVEN • COURBES DE CHARGE

H MAX TORRE: 36 m

L FRECCIA 35 m	RAGGIO DI LAVORO [mm]	11 [m]	15 [m]	16,8 [m]	21 [m]	22,5 [m]	25 [m]	27,5 [m]	30 [m]	32,5 [m]	35 [m]	37,5 [m]	40 [m]
	PORTATA TIRO IN 2° [Kg]			2500	2000	1850	1650	1500	1350	1250	1150	1100	1000
	PORTATA TIRO IN 4° [Kg]	4000	3000	2500	2000	1850	1650	1500	1350	1250	1150	1100	1000

L FRECCIA 30 m	RAGGIO DI LAVORO [mm]			11,5 [m]	15 [m]	17,6 [m]	20 [m]	22 [m]	25 [m]	27,5 [m]	30 [m]	32,5 [m]	35 [m]
	PORTATA TIRO IN 2° [Kg]					2500	2200	2000	1750	1550	1450	1300	1200
	PORTATA TIRO IN 4° [Kg]			4000	3050	2500	2200	2000	1750	1550	1450	1300	1200

L FRECCIA 25 m	RAGGIO DI LAVORO [mm]					12 [m]	15 [m]	17,5 [m]	18,8 [m]	20 [m]	23 [m]	27,5 [m]	30 [m]
	PORTATA TIRO IN 2° [Kg]								2500	2350	2000	1650	1500
	PORTATA TIRO IN 4° [Kg]					4000	3200	2700	2500	2350	2000	1650	1500

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento comercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

MECCANISMI

MECHANISMS • MECANISMOS • ANTRIEBE • MÉCANISMES

MOVIMENTO MOVEMENT MECANISMO BEWUGUNG MOUVEMENT	ALIMENTAZIONE OPERATING VOLTAGE ALIMENTACIÓN BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI PERFORMANCES FUNCIONAMIENTOS LEISTUNGEN EXÉCUTIONS			
		1 ^a m/1' - kg	2 ^a m/1' - kg	3 ^a m/1' - kg	
SOLLEVAMENTO HOISTING ELEVACION HEBEN LEVAGE	400 V 50 Hz	5,5	30	48	kW 11
		2500	2000	1000	
		1 ^a m/1'	2 ^a m/1'	3 ^a m/1'	
CARRELLO JIB TROLLEY CARRILLO LAUFKATZE DISTRIBUTION	400 V 50 Hz	10	20	40	kW 3
ROTAZIONE SLEWING ROTACION DREHEN ORIENTATION	400 V 50 Hz	0,2 → 0,7			kW 3

Conforme alla Direttiva Rumore 2005/88/CE

In compliance with the 2005/88/CE directive - Conforme con la directiva 2005/88/CE

In Übereinstimmung mit der Richtlinie 2005/88/CE - Conforme à la directive 2005/88/CE

POTENZA RICHIESTA

REQUIRED ELECTRIC POWER - POTENCIA ELÉCTRICA NECESARIA - KRAFTBEDARF - PUISSANCE ÉLECTRIQUE NÉCESSAIRE

400 V 50 Hz	9,2 kW
	15 KVA * (12 kW)

* Gru senza traslazione

Crane without traveling equipment • Grúa sin traslación • Kran ohne Schienenfahren • Grue sans traslation

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel