



ALFA


A696



www.alfagru.com

CE

MODELLO



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento comercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

CURVE DI CARICO

LOAD DIAGRAMS • CURVAS DE CARGAS • LASTKURVEN • COURBES DE CHARGE

H MAX TORRE: 45,6 m

L FRECCIA 50 m	RAGGIO DI LAVORO [mm]	15,85 [m]	20 [m]	27,4 [m]	30 [m]	35 [m]	40 [m]	45 [m]	50 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min	6000	4462	3008	2687	2214	1870	1607	1400

L FRECCIA 45 m	RAGGIO DI LAVORO [mm]		16,1 [m]	20 [m]	25 [m]	30 [m]	35 [m]	40 [m]	45 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min		6000	4568	3455	2754	2271	1919	1650


L FRECCIA 40 m	RAGGIO DI LAVORO [mm]			16,6 [m]	20 [m]	25 [m]	30 [m]	35 [m]	40 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min			6000	4745	3592	2865	2365	2000

L FRECCIA 35 m	RAGGIO DI LAVORO [mm]				17,05 [m]	20 [m]	25 [m]	30 [m]	35 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min				6000	4905	3715	2966	2450

L FRECCIA 30 m	RAGGIO DI LAVORO [mm]				16,95 [m]	18,6 [m]	20 [m]	25 [m]	30 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min				6000	5347	4880	3696	2950



**18 kW
FU ARGANO**



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

MECCANISMI

MECHANISMS • MECANISMOS • ANTRIEBE • MÉCANISMES

MOVIMENTO MOVEMENT MECANISMO BEWUGUNG MOUVEMENT	ALIMENTAZIONE OPERATING VOLTAGE ALIMENTACIÓN BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI PERFORMANCES FUNCIONAMIENTOS LEISTUNGEN EXÉCUTIONS				
		1 ^a m/1' - kg	2 ^a m/1' - kg	3 ^a m/1' - kg		
SOLLEVAMENTO HOISTING ELEVACION HEBEN LEVAGE	400 V 50 Hz	5	26	40	kW 18,5	
		6000	6000	1400		
		1 ^a m/1'	2 ^a m/1'	3 ^a m/1'		
CARRELLO JIB TROLLEY CARRILLO LAUFKATZE DISTRIBUTION	400 V 50 Hz	10	30	50	kW 3	
ROTAZIONE SLEWING ROTACION DREHEN ORIENTATION	400 V 50 Hz	0,2 →0,7			kW 7,5	

Conforme alla Direttiva Rumore 2005/88/CE

In compliance with the 2005/88/CE directive - Conforme con la directiva 2005/88/CE

In Übereinstimmung mit der Richtlinie 2005/88/CE - Conforme à la directive 2005/88/CE

POTENZA RICHIESTA

REQUIRED ELECTRIC POWER - POTENCIA ELÉCTRICA NECESARIA - KRAFTBEDARF - PUISSANCE ÉLECTRIQUE NÉCESSAIRE

400 V 50 Hz	25 kW
----------------	-------

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel