




A808



www.alfagru.com

CE

MODELLO



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento comercial no contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

CURVE DI CARICO

LOAD DIAGRAMS • CURVAS DE CARGAS • LASTKURVEN • COURBES DE CHARGE

H MAX TORRE: 39.9 m

L FRECCIA 60 m	RAGGIO DI LAVORO [mm]	18,6 [m]	20 [m]	25 [m]	30 [m]	35 [m]	40 [m]	45 [m]	50 [m]	55 [m]	60 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min	6000	5482	4162	3330	2757	2339	2021	1770	1567	1400

L FRECCIA 55 m	RAGGIO DI LAVORO [mm]		19,25 [m]	20 [m]	25 [m]	30 [m]	35 [m]	40 [m]	45 [m]	50 [m]	55 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min		6000	5735	4357	3489	2892	2456	2123	1861	1650

L FRECCIA 50 m	RAGGIO DI LAVORO [mm]				20,3 [m]	25 [m]	30 [m]	35 [m]	40 [m]	45 [m]	50 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min				6000	4653	3730	3095	2632	2278	2000


L FRECCIA 45 m	RAGGIO DI LAVORO [mm]					21,45 [m]	25 [m]	30 [m]	35 [m]	40 [m]	45 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min					6000	4981	3997	3321	2827	2450

L FRECCIA 40 m	RAGGIO DI LAVORO [mm]						21,85 [m]	25 [m]	30 [m]	35 [m]	40 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min						6000	5104	4098	3405	2900

L FRECCIA 35 m	RAGGIO DI LAVORO [mm]							22,1 [m]	25 [m]	30 [m]	35 [m]
	PORTATA TIRO IN 2° [Kg] v_soll<30 m/min							6000	5169	4151	3450



**18 kW
FU ARGANO**



Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel

MECCANISMI

MECHANISMS • MECANISMOS • ANTRIEBE • MÉCANISMES

MOVIMENTO MOVEMENT MECANISMO BEWUGUNG MOUVEMENT	ALIMENTAZIONE OPERATING VOLTAGE ALIMENTACIÓN BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI PERFORMANCES FUNCIONAMIENTOS LEISTUNGEN EXÉCUTIONS			
		1 ^a m/1' - kg	2 ^a m/1' - kg	3 ^a m/1' - kg	
SOLLEVAMENTO HOISTING ELEVACION HEBEN LEVAGE	400 V 50 Hz	5	26	40	kW 18,5
		6000	6000	1400	
		1 ^a m/1'	2 ^a m/1'	3 ^a m/1'	
CARRELLO JIB TROLLEY CARRILLO LAUFKATZE DISTRIBUTION	400 V 50 Hz	10	30	50	kW 3
ROTAZIONE SLEWING ROTACION DREHEN ORIENTATION	400 V 50 Hz	0,2 → 0,7			kW 7,5

Conforme alla Direttiva Rumore 2005/88/CE

In compliance with the 2005/88/CE directive - Conforme con la directiva 2005/88/CE

In Übereinstimmung mit der Richtlinie 2005/88/CE - Conforme à la directive 2005/88/CE

POTENZA RICHIESTA

REQUIRED ELECTRIC POWER - POTENCIA ELÉCTRICA NECESARIA - KRAFTBEDARF - PUISSANCE ÉLECTRIQUE NÉCESSAIRE

400 V 50 Hz	25 kW
----------------	-------

Con riserva di modifiche documento commerciale non vincolante

Subject to change without notice. Non-binding commercial document • Derecho de modificaciones reservadas. Documento commercial non contractual
Änderungen vorbehalten. Unverbindliches Vertriebsdokument • Sous réserve de modifications sans préavis. Document commercial non contractuel